


Viper Extension 45

(KB06MI-075)



Manufacturer:
Kingsbox d.o.o.
Partizanska 129, 6210 Sežana
Slovenia



Customer service:

Write us on info@kingsbox.com or send us a message through our website at www.kingsbox.com/help

Usage class:

Studio (S)

Designed in compliance with:

ISO 20957

Warnings:


- Freestanding equipment shall be installed on a stable and levelled base
- All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.
- Injuries to health may result from incorrect or excessive training
- Keep unsupervised children away from the equipment

Maximum user body mass: 120 kg


Maximum training mass ⁽¹⁾: 15 kg

⁽¹⁾ Training mass - achieved through different means of resistance (weight plates, stacked weights, dumbbells, elastic cords, etc.), excluding user's bodyweight.


Assembly elements:




Position 1
MAIN PLATE




Position 2
COSMETIC PLATE RH




Position 3
COSMETIC PLATE LH




Position 4
FRONT LEG




Position 5
BOTTOM PROFILE




Position 6
ADJUSTABLE ARM




Position 7
PILLOW HANGER




Position 8
FOOT PLATFORM




Position 9
FOOT GRIP




Position 10
LEG PILLOW




Position 11
MAIN PILLOW




Position 12
SPACER TUBE




Position 13
PAD SPACER




Position 14
SLIDING PLASTIC




Position 15
PAD SPACER




Position 16
RUBBER FOOT




Position 17
PILLOW RING



Position 18
WHEEL 50MM




Position 19
PLUG 60x60




Position 20
PLUG 80x40


Assembly elements:




Position 21
PLUG 1"




Position 22
UBBER HANDLE




Position 23
M5X6




Position 24
M5X14




Position 25
M8X30




Position 26
M10X30




Position 27
M12X90




Position 28
M12X100




Position 29
M6X50




Position 30
M6 NUT




Position 31
M6 WASHER




Position 32
M8 WASHER




Position 33
M10 NUT



Position 34
M10 WASHER




Position 35
M12 NUT




Position 36
M12 WASHER


Tools needed:




Wrench 19
2x




Wrench 17
2x




Wrench 13
2x



Plastic Hammer
1x




Allen Key 8mm
1x




Allen Key 3mm
1x

Assembly instruction:


1




2




3




4




5



6




7




8


Fasten the screws tightly.




9




10



11




12 - end



Note:

Free area around the training equipment should be $>0,6\text{m}$ than the training area in the direction from which the equipment is accessed.



Correct adjustment:

Align the edge of the pillow just below the groin area (end of the thigh), to allow correct and full body movement.

