


KingsBox Pulley Rig CX-30



KingsBox®
BUILDING BETTER HUMANS

Manufacturer:
Kingsbox d.o.o.
Bazoviška 7a, 6210 Sežana
Slovenia

KingsBox®
BUILDING BETTER HUMANS

Customer service:

Write us on info@kingsbox.com or send us a message through our website at www.kingsbox.com/help

Usage class:

Studio (S)

Designed in compliance with:

ISO 20957

Warnings:

- Freestanding equipment shall be installed on a stable and levelled base
- All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.
- Injuries to health may result from incorrect or excessive training
- Keep unsupervised children away from the equipment

OPOZORILO!

Če se struktura prevrne, lahko pride do resnih telesnih poškodb. Da bi preprečili nevarnost, da se ta struktura prevrne, mora biti pritrjena na steno in / ali v tla.

Vijaki za pritrdjevanje strukture na steno oz. tla niso priloženi, saj r različne sestave zidov oz. tal zahtevajo različne vrste pritrdilnih elementov. Uporabite take, ki ustrezajo sestavi vaše stene oz. tal.

WARNING!

If the structure is not secured to the ground and / or to the wall, it may overturn and / or cause damage to person or object in the immediate vicinity.


The fixing bolts for wall and / or floor are not included in the pack-age, since different types of anchor bolts must be used for different wall / floor types.

ATTENZIONE!

Se la struttura non viene fissata a terra e/o al muro, può ribaltarsi e/o provocare danni a persone o oggetti in immediata vicinanza.


I bulloni per il fissaggio del rig a muro e/o al pavimento non sono inclusi nel pacco, in quanto per diversi tipi di muro / pavim-entazione bisogna utilizzare diversi tipi di bulloni d'ancoraggio.

Assembly elements:




Position 1 **4×**

Upright CX Mighty 2500




Position 2 **2×**

Connecting Bottom 400




Position 3 **8×**

Pulley Bottom Plate




Position 4 **16×**

Belt Pulley Fi 114




Position 5 **4×**

Rubber Cushion




Position 6 **4×**

Guide Rod




Position 7 **30×**

Weight Stack



Position 8 **2×**


Top Plate




Position 9 **2×**

Selector Bar


Assembly elements:




Position 10	2×
Stack Pulley Holder	




Position 11	2×
Pin	




Position 12	2×
PinStack	




Position 13	2×
Pulley Trolley	




Position 14	8×
Roller	




Position 15	2×
Index Plunger M20x1.5	



Position 16	2×
Trolley Handle	




Position 17	4×
Bushing	




Position 18	2×
Cable Termination	


Assembly elements:




Position 19	2×
CCO Pulley Cart	




Position 20	2×
Connecting Profile 400	




Position 21	4×
Static Pulley Plate D	




Position 22	2×
Single Static Pulley D	




Position 23	2×
Single Static Pulley L	




Position 24	2×
Wire	



Position 25	2×
Cable Ending Ball	




Position 26	1×
Monkey Profile 1100 F	




Position 27	1×
PU bar S 1100	


Assembly elements:




Position 28	1×
Sign Holder III	




Position 29	1×
Sign Color Plate III	




Position 30	1
Sign Text Plate III	




Position 31	1×
J-Cup F D Rubber	




Position 32	1×
J-Cup F L Rubber	




Position 33	12×
Screw M5	



Position 34	2×
Screw M12	




Position 35	18×
Bolt M8	




Position 36	22×
Bolt M10	


Assembly elements:




Position 37	68×
Bolt M12	




Position 38	12×
Nut M8	




Position 39	20×
Nut M10	




Position 40	52×
Nut M12	




Position 41	32×
Screw M8	



Position 42	46×
Screw M10	



Position 43	122×
Screw M12	




Position 44	2×
Carabin 100x10mm	

Scan for video
assembly instructions




Assembly instruction:

1




2




Assembly instruction:

3




4





Assembly instruction:

5





6




Assembly instruction:

7




8




Assembly instruction:

9




10




Assembly instruction:

11




12




Assembly instruction:

13





14





Assembly instruction:

15




16




Assembly instruction:

17





18




All No. 33 screws must be tightened to ensure that the rope does not come out.

Assembly instruction:




Assembly instruction:

21




22



Assembly instruction:

23



Warnings:

- 1 Freestanding equipment shall be installed on a stable and levelled base.
- 2 All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.

24

