


Mighty CPS 2.0

(KB05MI-128)



KingsBox®
BUILDING BETTER HUMANS

Manufacturer:

Kingsbox d.o.o.
Partizanska 129, 6210 Sežana
Slovenia

Customer service:

Write us on ***info@kingsbox.com*** or send us a message through our website at ***www.kingsbox.com/help***

Usage class:

Studio (S)

Designed in compliance with:

ISO 20957

Warnings:

- Freestanding equipment shall be installed on a stable and levelled base
- All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.
- Injuries to health may result from incorrect or excessive training
- Keep unsupervised children away from the equipment

Maximum training mass ⁽¹⁾: 80 kg (40kg/sleeve)

⁽¹⁾ Training mass - achieved through different means of resistance (weight plates, stacked weights, dumbbells, elastic cords, etc.), excluding user's bodyweight.

WARNING!

If the structure (rig/rack) onto which this equipment is attached, is not secured to the ground and / or to the wall, it may overturn and / or cause damage to person or object in the immediate vicinity.


The fixing bolts for wall and / or floor are not included in the package, since different types of anchor bolts must be used for different wall / floor types.

Assembly elements:




Position 1

Upright 1x




Position 2

Side profile 4x




Position 3

Pulley profile 2x




Position 4

**Pulley Cart Plate LH
1x**




Position 5

**Pulley Cart Plate RH
1x**




Position 6

Pulley f114 7x




Position 7

Roller 3x



Position 8


**Pulley Cart Spacer
1x**



Position 9


Cart Tube 1x

Assembly elements:




Position 10

**Spacer fi48 Rubbery
2X**




Position 11

Rubber Pad 1x




Position 12

Pulley Bush fi25 12x




Position 13

Cable Ending Ball 2x




Position 14

Cable 8,7m 1x




Position 15

Screws M10x100




Position 16

Screws M10x110



Position 17


Screws M10x120



Position 18


Screws M8x120

Assembly elements:




Position 19

Screws M12x110




Position 20

Nuts M10




Position 21

Washers M10




Position 22

Nuts M8




Position 23

Washer M8




Position 24

Nuts M12



Position 25


Washers M12





Position 26


Screw M8x25

Tools needed:


Wrench 19
2X


Wrench 17
2x


Wrench 13
2x



Allen Key 6
1x

Scan for video
assembly instructions




Assembly instruction:

STEP: 1




STEP: 2




Assembly instruction:

STEP: 3




STEP: 4




Assembly instruction:

STEP: 5




STEP: 6




Assembly instruction:

STEP: 7




STEP: 8




Assembly instruction:

STEP: 8




STEP: 9 - cable path



Assembly instruction:

STEP: 10




Insert Cable Endings onto the cable and tightly fasten the 3 screw pins


End of assembly.

Note:

Free area around the training equipment should be $>0,6\text{m}$ than the training area in the direction from which the equipment is accessed.



Max. loading / training mass:



Maintenance:

- Rollers:

Check the rollers regularly for any wear and tear and replace them if needed. It is normal for the rollers to show some run-in marks after the first use, but excessive wear may lead to improper movement of the trolley. (roller part nr. BY-040-4901)

- Wire elements:

After every training check for possible damage to the wire or cable endings and replace them if needed. Do not exercise if the wire or cable endings are damaged!

- Upright:

Regularly wipe the upright pillar with a clean rag to enable smooth operation of the rollers. Rollers wear during use and can leave dust residue on the pillar's surface - wipe it away regularly.

- Screws:

Check for any loose screws and tighten them