


Quick Fit Seat for Pulley Stations 2.0

(KB05MI-231)



Manufacturer:
Kingsbox d.o.o.
Bazoviška 7a, 6210 Sežana
Slovenia

KingsBox®
BUILDING BETTER HUMANS

Customer service:

Write us on info@kingsbox.com or send us a message through our website at www.kingsbox.com/help

Usage class:

Indoor use - Studio (S)

Designed in compliance with:

ISO 20957

Gym owner shall provide the user with all the warnings and instructions. The training equipment shall only be used in areas where access, supervision and control is specifically regulated by the owner.

For training equipment designed with stacked weights - person exercising should face the training equipment at all times during the exercise to prevent danger to a third party.

Warnings:

- Freestanding equipment shall be installed on a stable and levelled base
- All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.
- Injuries to health may result from incorrect or excessive training
- Keep unsupervised children away from the equipment

Maximum user body mass: 145 kg

⁽¹⁾ Training mass - achieved through different means of resistance (weight plates, stacked weights, dumbbells, elastic cords, etc.), excluding user's bodyweight.

WARNING!

Equipment installed on the rigs and racks:

The structure (rig/rack) onto which the equipment is attached **MUST** be securely anchored into the ground, otherwise a high risk of structure overturning exists.

Failure to do so presents a high risk of injuries that could eventually lead to death of the people exercising or present near the equipment.


The fixing bolts for wall and / or floor are not included in the package, since different types of anchor bolts must be used for different wall / floor types.

WARNING!


Equipment installed on the wall:

The equipment **MUST** be securely anchored to an appropriate wall (stable concrete wall in good condition) to avoid any failure of the equipment during exercise (such as equipment detaching from the wall, wall damage, wall collapse etc.).


WARNING!
Danger of overturning - anchor the structure into the ground!




Assembly elements: (the product comes assembled)




Position 1
Seat Profile 2.0 (1x)




Position 2
Seat Plate (1x)




Position 3
Leg Holder (1x)




Position 4
Pillow Ring (2x)




Position 5
Seat Cushion (1x)




Position 6
Leg Cushion (2x)




Position 7
Spring Plunger f18 (1x)




Position 8
Spring Plunger f125 (1x)




Position 9
80x80 Plastic Tube End (1x)




Position 10
Protective Plastic (2x)




Position 11
Resize Plastic (1x)




Position 12
Countersunk Screw M8 x 25 (2x)



Position 13
6KT Screw M8x30 (3x)




Position 14
Washer M8 (3x)




Position 15
Countersunk Screw M5x10 (4x)

Installation:


1




2



3




4




Instructions for use:

Free area around the training equipment should be $>0,6\text{m}$ than the training area in the direction from which the equipment is accessed.



Max. loading/ training mass:



Safety instructions:

☐ WARNING – RISK OF INJURY DUE TO IMPROPER INSTALLATION OR USE

Failure to follow these safety instructions may result in instability, unexpected movement of the seat, serious injury, or damage to equipment.

1. Locking Mechanism – Mandatory Safety Requirement

The Quick Fit Seat is secured to the Mighty Pillar by a spring pin locking mechanism.

- The spring pin **MUST** be fully inserted and completely closed into the corresponding hole in the pillar before use.

The spring pin must audibly and visibly engage (“click”) into the pillar hole.

A spring pin that is partially engaged or not fully closed may cause the seat to swing, rotate, or disengage when sitting down or standing up.

Unexpected seat movement may lead to loss of balance, falls, or injury.

☐ Never use the product if the spring pin is not fully locked.

2. Pre-Use Safety Check (Required Before Every Use)

Before each use, the user must:

1. Correctly insert the Quick Fit Seat into the Mighty Pillar.
2. Ensure the spring pin is fully engaged and locked.
3. Perform a visual inspection to confirm proper pin positioning.
4. Apply light manual pressure to verify that the seat is stable and does not rotate or swing.

3. Safe Use

Always sit down and stand up in a controlled and deliberate manner.

Do not use the product if any component is worn, damaged, or malfunctioning.

For further assistance, contact customer support at <https://kingsbox.com/en-si/help?target=-contact>:

