


Foldable Adj. Pulley System

(KB07MI-011 / KB07MI-012 / KB07MI-013)



Manufacturer:
Kingsbox d.o.o.
Bazoviška 7a, 6210 Sežana
Slovenia

KingsBox®
BUILDING BETTER HUMANS

Customer service:

Write us on info@kingsbox.com or send us a message through our website at www.kingsbox.com/help

Usage class:

Indoor use - Studio (S)

Designed in compliance with:

ISO 20957

Gym owner shall provide the user with all the warnings and instructions. The training equipment shall only be used in areas where access, supervision and control is specifically regulated by the owner.

For training equipment designed with stacked weights - person exercising should face the training equipment at all times during the exercise to prevent danger to a third party.

Warnings:

- Freestanding equipment shall be installed on a stable and levelled base
- All equipment designed with anchoring/attachement holes (e.g. rigs, racks, equipment and accessories for racks, storage pins/shelves, etc.) should be securely screwed to the fixed ground/wall/structure through all the designated fixing holes and with appropriate sized screws.
- Injuries to health may result from incorrect or excessive training
- Keep unsupervised children away from the equipment

Maximum training mass ⁽¹⁾: 120 kg

⁽¹⁾ Training mass - achieved through different means of resistance (weight plates, stacked weights, dumbbells, elastic cords, etc.), excluding user's bodyweight.

WARNING!

Equipment installed on the rigs and racks:

The structure (rig/rack) onto which the equipment is attached **MUST** be securely anchored into the ground, otherwise a high risk of structure overturning exists.

Failure to do so presents a high risk of injuries that could eventually lead to death of the people exercising or present near the equipment.


The fixing bolts for wall and / or floor are not included in the package, since different types of anchor bolts must be used for different wall / floor types.

WARNING!


Equipment installed on the wall:

The equipment **MUST** be securely anchored to an appropriate wall (stable concrete wall in good condition) to avoid any failure of the equipment during exercise (such as equipment detaching from the wall, wall damage, wall collapse etc.).


WARNING!
DANGER OF OVERTURNING!
ANCHOR THE STRUCTURE INTO THE GROUND




Assembly elements:




Position 1
CX Upright 2500 (1x)




Position 2
Pulley Bottom Plate (4x)




Position 3
Pulley Plate (2x)




Position 4
Single Pulley Plate D (1x)




Position 5
Single Pulley Plate D (1x)




Position 6
Foldable Pulley Hanger (2x)




Position 7
Connecting Profile Bottom (1x)




Position 8
Connecting Profile Upper (1x)




Position 9
Wheel Holder (1x)




Position 10
Pulley Holder (1x)




Position 11
Washer f35-t6 (2x)




Position 12
Carabin (1x)




Position 13
Weight Stack Top Plate (1x)




Position 14
Weight Stack Plates (50/80/120kg)




Position 15
Selector Bar (1x)




Position 16
Rubber Cushion (2x)




Position 17
Weight Stack Guide f120 (2x)



Position 18
Cable Ending Ball (1x)




Position 19
Pulley f114 (6x)




Position 20
Cable Termination (1x)


Assembly elements:




Position 21
Plunger M20x1.5 (2x)




Position 22
Weight Stack Retain Pin (1x)




Position 23
Cable (1x)




Position 24
Wheel f150mm (4x)




Position 25
6KT M12x120 (6x)




Position 26
6KT M6x85 (2x)




Position 27
6KT M10x50 (6x)




Position 28
6KT M12x110 (12x)




Position 29
6KT M12x35 (4x)




Position 30
Washer M10 (13x)




Position 31
Washer M12 (44x)




Position 32
Washer M6 (4x)




Position 33
Countersunk Screw M8x20 (2x)




Position 34
Nut M10 (7x)




Position 35
Nut M12 (21x)



Position 36
Nut M6 (2x)




Position 37
Trolley 2.0 (1x)




Position 38
Socket Screw M12x35 (1x)


Tools needed:




Wrench 19
2x



Wrench 17
2x



Wrench 10
2x



Hammer
1x




Allen Key 5mm
1x




Allen Key 10mm
1x

Assembly instruction:


1




2




3




4




5





6



7




8




1. Hammer the pin (22) into the top plate (13) BEFORE sliding it onto the guides!


9




10




11




12




13




14



15




16



Instructions for use:

Free area around the training equipment should be $>0,6\text{m}$ than the training area in the direction from which the equipment is accessed.



Adjustment:

